


# INSTITUTIONAL DEVELOPMENT PLAN

National Agricultural Higher Education Project Sri Karan Narendra Agriculture University



Phone: 01425-254022; Email ID: pi.nahep@sknau.ac.in



Date-03.02.2023

Activity No.: IN-SKNAU - JOBNER-179317-CW-RFQ/Modification of toilets for differently

abled persons

To,

# PROSPECTIVE SUPPLIERS

SUBJECT: RE-INVITATION FOR QUOTATIONS FOR WORK OF MODIFICATION OF TOILETS FOR DIFFERENTLY ABLED PERSONS AT SKNCOA, JOBNER.

Dear Sir,

1. You are invited to submit your most competitive quotation for the following works: -

Sr. No.	Brief Description of the Works	Approximate value of Works (Rs.) (Lakhs)	Period of Completion
1	Modification of toilets for differently abled	5.00	30 Days
	persons		

- 2. Government of India has received a financing from the International Bank for Reconstruction and Development (IBRD) in various currencies towards the cost of the National Agricultural Higher Education Project (NAHEP) and intends to apply part of the proceeds of this Loan to eligible payments under the contract for which this invitation for quotations is issued.
- 3. To assist you in the preparation of your quotation, we are enclosing the following:
  - i. Detailed Bill of Quantities, with estimated rates and prices;
  - ii. Technical Specifications;
  - iii. Instructions to Bidders (in two sections).
  - iv. Draft Contract Agreement format which will be used for finalizing the agreement for this Contract.
- You are requested to provide your offer latest by 11:00 AM on 10/02/2023. 4.
- Ouotations will be opened in the presence of Bidders or their representatives who choose to 5. attend at 02.30 PM on 10/02/2023 in the office of IDP-NAHEP, SKNAU, Johner.
- We look forward to receiving your quotations and thank you for your interest in this project. 6.

PI, IDP-NA

Sri Karan Narendra Agriculture University, Jobner-Jaipur

# INSTRUCTIONS TO BIDDERS

# SECTION - A

# 1. Scope of Works

The Principal Investigator, IDP-NAHEP, SKNAU Jobner invites quotations for the works as detailed in the table given below:

Sr. No.	Brief Description of the Works	Approximate value of Works (Rs.) (Lakhs)	Period of Completion
1	Modification of toilets for differently abled	5.00	30 Days
	persons		

The successful bidder will be expected to complete the works by the intended completion date specified above.

- 2. Qualification of the bidder: The bidder shall provide qualification information which shall include:
  - a. Total monetary value of construction works performed for each year of the last 3 years (i.e. FY 2019-20, 2020-21 and 2021-22)
  - b. Income tax clearance certificate from the concerned IT circle;
  - c. Report on his financial standing; and
  - d. Details of any litigation, current or during the last 3 years in which the bidder is involved, the parties concerned and disputed amount in each case.
- 3. To qualify for award of the contract the bidder:
  - a. should have satisfactorily completed as a prime contractor at least one similar work of value not less than Rs. 5,00,000.00 in the last three years;
  - b. should possess valid electrical license for executing building electrification works (in the event of the works being sub-contracted, the sub-contractor should have the necessary license);
  - c. should possess required valid license for executing the water supply/sanitary works (in the event of the works being sub-contracted, the sub-contractor should have the necessary license);

## 4. Bid Price

- a. The contract shall be for the whole works as described in the Bill of quantities, drawings and technical specifications. Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
- b. All duties, taxes and other levies payable by the contractor under the contract shall be

De

included in the total price.

- c. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d. The rates should be quoted in Indian Rupees only.

# 5. Submission of Quotations

- 5.1. The bidder is advised to visit the site of works at his own expense and obtain all information that may be necessary for preparing the quotation.
- 5.2. The quotation submitted by the bidder shall comprise the following:
  - a. Quotation in the format given in Section B.
  - b. Signed Bill of Quantities; and
  - c. Qualification information form given in Section B duly completed.
- 5.3. The bidder shall seal the quotation in an envelope addressed to the **Principal Investigator**, **IDP-NAHEP**, **SKNAU**, **Jobner**. The envelope will also bear the following identification:
  - Quotation for "Modification of toilets for differently abled persons".
  - Do not open before 02.30 PM on 10/02/2023.
- 5.4. Quotations must be received in the office of **IDP-NAHEP**, **SKNAU**, **Jobner** not later than the time and date given in the letter of invitation. If the specified date is declared a holiday, quotations shall be received up to the appointed time on the next working day.
- 5.5. Any quotation received after the deadline for submission of quotations will be rejected and returned unopened to the bidder.

# 6. Validity of Quotation

Quotation shall remain valid for a period not less than 60 days after the deadline date specified for submission.

# 7. Opening of Quotations

Quotations will be opened in the presence of bidders or their representatives who choose to attend on the date and time and at the place specified in the letter of invitation.

8. Information relating to evaluation of quotations and recommendations for the award of contract shall not be disclosed to bidders or any other persons not officially concerned with the process until the award to the successful bidder is announced.

# 9. Evaluation of Quotations

A

The Employer will evaluate and compare the quotations determined to be substantially responsive i.e. which

- a. meet the qualification criteria specified in clause 3 above;
- b. are properly signed; and
- c. conform to the terms and conditions, specifications and drawings without material deviations.

#### 10. Award of contract

The Employer will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price and who meets the specified qualification criteria.

- 10.1. Notwithstanding the above, the Employer reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
- 10.2. The bidder whose bid is accepted will be notified of the award of contract by the Employer prior to expiration of the quotation validity period.
- 10.3. The Successful Bidder has to complete the work within the stipulated time given in the work order. If Bidder fails to execute the work within the given time then liquidated damage @0.05% per day will be deducted from the total contract value.

# 11. Performance Security

Within 15 days of receiving letter of acceptance, the successful bidder shall deliver to the **PI, IDP-NAHEP, SKNAU, Jobner** the performance security (bank draft in favor of the Employer) for an amount equivalent of 3% of the contract price. The Performance Security shall be valid till the expiry of the period of maintenance of the work, specified in clause 12.

## 12. Period of Maintenance:

The "Period of Maintenance" for the work is six months from the date of taking over possession or one full monsoon season whichever occurs later. During the period of maintenance, the contractor will be responsible for rectifying any defects in construction free of cost to the Employer.



13. Purchase of all construction materials including cement and steel as per the specifications (ISI certification marked goods wherever available) shall be the responsibility of the contractor.

# **SECTION - B**

- 1. Format for Qualification Information.
- 2. Format for Submission of Quotation.
  - 3. Format of Letter of Acceptance.

# **QUALIFICATION INFORMATION**

1	For In	dividua	l Bidders	5							
1.1	Princip	al place	of busine	ess:							
	Power of attorney of signatory of Quotation.  [Attach copy]										
1.2	constru	iction w	Civil Eng ork perfor Rs. Lakhs	rmed in tl	ne last	20 20 20	0 9-20 020-2 021-22	) 			
1.3			ed as printee years.		actor (in	the s	ame nan	ne) on wor	ks of a	similar na	ature
Proje Name		me of iployer	Description of work	Contract No.	Value o contrac (Rs.La	<u>ct</u>	Date of issue of work order	Stipulated period of comple- tion	Actua date of comp -tion	of explain	uing s av ork
	Exis	ting con	nmitments	s and on-	going wo	orks:					_
Descr of W	ription ork	Place & State	Contrac & Date	Co	nlue of ontract s. Lakh)	peri	ulated od of pletion	Value of wo remaining to completed (Rs. Lakhs)	be d	Anticipated late of completion	
	(1)	(2)	(3)	)	(4)		(5)	(6)		(7)	_

<sup>\*</sup> Enclose a certificate from Engineer concerned.



# 1.4 Proposed subcontracts and firms involved.

Sections of the works	Value of Sub- contract	Sub-contractor (name & address)	Experience in similar work
*	*	*	*
	*	*	
*	*	*	*
	*	*	
*	*	*	*
	*	*	

- 1.5 Evidence of access to financial resources to meet the requirements of working capital: cash in hand, lines of credit, etc. List them below and attach copies of support documents.
- 1.6 Name, address, and telephone, telex, and fax numbers of the Bidders' bankers who may provide references if contacted by the Employer.
- 1.7 Information on litigation history in which the Bidder is involved.

Other party(ies)	Employer	Cause of dispute	Amount involved	Remarks showing present status
------------------	----------	------------------	-----------------	--------------------------------



# **QUOTATION**

Description of the Works: Modification of toilets for differently abled persons

To: The Principal Investigator IDP-NAHEP, SKNAU, Jobner	
Subject: Work of Modification of toilets for differently abled person	S
Reference: Letter Nodatedfrom	
Sir,	
We offer to execute the Works described in your letter referred to Conditions of Contract enclosed therewith at percentage rates, i.e., for a total Contract Price of -	
Rs. **	[in figures]
Rs	[in words]
This quotation and your written acceptance of it shall constitute a bin understand that you are not bound to accept the lowest or any quotate	
We hereby confirm that this quotation is valid for 60 days as required to Bidders.	l in Clause 6 of the Instructions
Yours faithfully,	
Authorized Signature :	Date:
Name & Title of Signatory :	
Name of Bidder :	
Address :	

\*\*To be filled in by the Bidder, together with his particulars and date of submission at the bottom of this Form.

# LETTER OF ACCEPTANCE CUM NOTICE TO PROCEED WITH THE WORK

# (LETTERHEAD OF THE EMPLOYER)

	Dated :
To:	[Name and address of the Contractor]
	- - -
Dear Sirs,	
This is to notify you that your Quotation of the contract price of Rupees words and figures], is hereby accepted by us.	for execution for the [amount in
	be valid till the expiry of the period of Failure to furnish the Performance Security
You are also requested to sign the agreed than und and ensure it	ment form and proceed with the work not later der the instructions of the Engineer, ts completion within the contract period.
With the issuance of this acceptance Security, contract for the above said work stands	letter and your furnishing the Performance s concluded.

Yours faithfully,

Authorized Signature Name and title of Signatory

# Draft Agreement form for Construction through National Shopping

# ARTICLES OF AGREEMENT

	This	deed of agreement is made in the form of agreement on day
		month 199, between the
	1 .	(Employer) or his authorized representative (hereinafter
referre	ed to as	the first party) and (Name of the Contractor), S/O resident of (hereinafter referred to as the second party),
	1	resident of (hereinafter referred to as the second party),
		work of construction of (hereinafter referred to
as wo	rks) on	the following terms and conditions.
2.	Cost	of the Contract
		otal cost of the works (hereinafter referred to as the "total cost") is Rs as
reflec	ted in A	nnexure - 1.
3.1	Paym	ents under its contract:
	Paymo	ents to the second party for the construction work will be released by the first
party	in the fo	bllowing manner:-
	50%	of work done : 50% of Total Cost
	On c	ompletion of work : 40% of Total Cost
	Han	dover of the work : 10% of Total Cost
	_	
3.2	Paym	ents at each stage will be made by the first party:
	(a)	on the second party submitting an invoice for an equivalent amount;
	(b)	on certification of the invoice (except for the first installment) by the engineer nominated by the first party with respect to quality of works in the format in Annexure - 2; and
	(c)	upon proper and justified utilization of at least 50 % of the previous installment

## 4. Notice by Contractor to Engineer

The second party, on the works reaching each stage of construction, issue a notice to the first party or the Engineer nominated by the first party (who is responsible for supervising the contractor, administering the contract, certifying the payments due to the contractor, issuing and valuing variations to the contract, awarding extensions of time etc.), to visit the site for certification of stage completion. Within 15 days of the receipt of such notice, the first party or the engineer nominated by it, will ensure issue of stage completion certificate after due verification.

# 5. Completion time

The works should be completed in \_\_\_\_\_ (months/weeks/days) from the date of this Agreement. In exceptional circumstances, the time period stated in this clause may be extended in writing by mutual consent of both the parties.

- 6. If any of the compensation events mentioned below would prevent the work being completed by the intended completion date, the first party will decide on the intended completion date being extended by a suitable period:
  - a) The first party does not give access to the site or a part thereof by the agreed period.
  - b) The first party orders a delay or does not issue completed drawings, specifications or instructions for execution of the work on time.
  - c) Ground conditions are substantially more adverse than could reasonably have been assumed before issue of letter of acceptance and from information provided to second party or from visual inspection of the site.
  - d) Payments due to the second party are delayed without reason.
  - e) Certification for stage completion of the work is delayed unreasonably.
- 7. Any willful delay on the part of the second party in completing the construction within the stipulated period will render him liable to pay liquidated damages. @ Rs.

  \*\_\_\_\_\_ per day which will be deducted from payments due to him. The first party may cancel the contract and take recourse to such other action as deemed appropriate once the total amount of liquidated damages exceeds 2 % of the contract amount.

de

(Note: The amount of liquidated damages per day should be determined at 0.05% of the contract value of the works and indicated here).

# 8. Duties and responsibilities of the first party

- 8.1 The first party shall be responsible for providing regular and frequent supervision and guidance to the second party for carrying out the works as per specifications. This will include written guidelines and regular site visit of the authorized personnel of the first party, for checking quality of material and construction to ensure that it is as per the norms.
- 8.2 The first party shall supply 3 sets of drawings, specifications and guidelines to the second party for the proposed works.
- 8.3 Possession of the site will be handed over to the second party within 10 days of signing of the agreement.
- 8.4 The Engineer or such other person as may be authorized by the first party shall hold meeting once in a month where the second party or his representative at site will submit the latest information including progress report and difficulties if any, in the execution of the work. The whole team may jointly inspect the site on a particular day to take stock of activities.
- 8.5 The Engineer shall record his observations/instructions at the time of his site visit in a site register maintained by the second party. The second party will carry out the instructions and promptly rectify any deviations pointed out by the engineer. If the deviations are not rectified, within the time specified in the Engineer's notice, the first party as well as the engineer nominated by it, may instruct stoppage or suspension of the construction. It shall thereupon be open to the first party or the engineer to have the deviations rectified at the cost of the second party.

#### 9. Duties and responsibilities of the second party

- **9.1** The second party shall:
  - a) take up the works and arrange for its completion within the time period stipulated in clause 5;
  - b) employ suitable skilled persons to carry out the works;
  - c) regularly supervise and monitor the progress of work;
  - d) abide by the technical suggestions / direction of supervisory personnel including engineers etc. regarding building construction;
  - e) be responsible for bringing any discrepancy to the notice of the representative of the first party and seek necessary clarification:



- f) ensure that the work is carried out in accordance with specifications, drawings and within the total of the contract amount without any cost escalation;
- g) keep the first party informed about the progress of work;
- h) be responsible for all security and watch and ward arrangements at site till handing over of the building to the first party; and
- maintain necessary insurance against loss of materials/cash, etc. or workman disability compensation claims of the personnel deployed on the works as well as third party claims.
- f) Pay all duties, taxes and other levies payable by construction agencies as per law under the contract (First party will effect deduction from running bills in respect of such taxes as may be imposed under the law).

#### 10. Variations / Extra Items

The works shall be carried out by the second party in accordance with the approved drawings and specifications. However, if, on account of site conditions or any other factors, variations are considered necessary, the following procedure shall be followed:-

- a) The second party shall provide the Engineer with a quotation for carrying out the Variation when requested to do so by the Engineer. The Engineer shall assess the quotation, which shall be given within seven days of the request before the Variation is ordered.
- b) If the quotation given by the second party is unreasonable, the Engineer may order the Variation and make a change to the Contract Price which shall be based on Engineer's own forecast of the effects of the Variation on the Contractor's costs.
- c) The second party shall not be entitled to additional payment for costs which could have been avoided by giving early warning.

#### 11. Securities

The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the Employer. The Performance Security shall be valid until a date 28 days from the date of issue of the Certificate of Completion in the case of a Bank Guarantee.



# 12. Termination

12.1 The Employer may terminate the Contract if the other party causes a fundamental breach of the Contract.

- 12.2 Fundamental breaches of Contract include, but shall not be limited to the following:
  - (a) the contractor stops work for 28 days and the stoppage has not been authorized by the Engineer;
  - (b) the Contractor has become bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
  - (c) the Engineer gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer;
  - (d) the Contractor does not maintain a security which is required;
- 12.3 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 12.4 If the Contract is terminated the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonably possible.

#### 13. Payment upon Termination

- 13.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for the value of the work done less advance payments received up to the date of the issue of the certificate, less other recoveries due in terms of the contract, less taxes due to be deducted at source as per applicable law.
- 13.2 If the Contract is terminated at the Employer's convenience, the Engineer shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

## 14. Dispute settlement

If over the works, any dispute arises between the two parties, relating to any aspects of this Agreement, the parties shall first attempt to settle the dispute through mutual and amicable consultation.

In the event of agreement not being reached, the matter will be referred for arbitration by a Sole Arbitrator not below the level of retired Superintending Engineer, PWD to

do



be appointed by the first party. The Arbitration will be conducted in accordance with the Arbitration and Conciliation Act, 1996. The decision of the Arbitrator shall be final and binding on both the parties.

# BILL OF QUANTITIES

Name of Work: - Modification of Toilets Bolck In Varioues Department in SKNCOA Johner

Based on:- Intigrated BSR 2022 & Electric BSR 2022

BSR ITEM NO	1	Item Description	Quanti	Unit	Rate	Amount
	0.		ty	Ome	Rate	Amount
		PART- "A" CIVIL WORK	1 1	-		
5.19.2	1	Half Brick work with mechanised autoclaved flyash lime	6.00	Sqm	557.00	22.42.00
		oricks conforming to IS: 12894 :2002 of class designation	ì	oqm	337.00	3342.00
		100 in superstructure above plinth level upto floor V level				
4.3	2	In. Cement mortar 1:6 (1 cement: 6 coarse sand)				
4.5	2	Providing and laying in position specified grade of	1.00	Cum	5185.00	5185.00
	İ	cement concrete for RCC structural elements upto floor				2.2.2.2.0
	Ì	five level including curing, compaction, finishing with				
		rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers( if				
		required) excluding the cost of centering, shuttering and				
		reinforcement for Beams, suspended floors, roofs, griders	1		1 1	
		having slopes up to 15°, landings, balconies, shelves,	- 1		1	
		chajjas, lintels, bands, plain windows sills, staircases and	- 1			
		spiral staircases etc.	ľ			
		M20 grade Nominal Mix / Design Mix				
4.10.2	3	Centering & shuttering with plywood or steel sheets	10.00	Sqm	340.00	3400.00
		including strutting, propping bracing both ways with steel			2 10100	3400.00
		props and removal of formwork for upto floor five level	l			1
- 1		for : Suspended floors, roofs, landings, staircases,	1	- 1		1
		balconies, girders, cantilevers, bands, coping bed plates,				1
		anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.		- 1		
4.13.3	4	Providing and fabricating reinforcement for R.C.C. work	00.00			
		including straightening, cutting, bending, placing in	90.00	Kg	77.00	6930.00
1		position and binding (including cost of binding wire) all				1
1		complete up to floor five level.			1	1
1		('Original producers' who manufacture billet directly from	1	ı		
		from ores and roll the bilets to produce steel conforming to				
		18:1786) Thermo-mechanically Treated bars (Conforming)				ł
12.3.2		of relevent IS code)				
12.5,2	۱ ۲	Plaster on new surface on walls in cement sand mortar 1:6	100.00	Sqm	190.00	19000.00
	1	including racking of joint etc. complete fine finished: 20 mm thick.	- 1	- 1		
13.29				- 1		
13.29	6	Repair to damaged RCC slabs, beams and columns etc for	20.00	Sqm	1568.00	31360.00
	li	strengtheing with cement mortar 1:2 in following steps ) Choping losse and cracked concrete to required depth, cleaning				
	t	the exposed surface of steel and concrete with wire brush and	1			1
	1,	and papering, cleaning of concrete surface with water or	1			1
	l II	ecessary and getting dried.				1
	li i	i) Applying Epoxy primer on the exposed steel bars.		- 1		1
	n	ii) Applying Epoxy hardener and resin mix (as per nanufectured's specification) on concrete and steel bars with				
	10	rusn.			1	
	i	y)Speading dry cement mortar 1 : 2 mix over epoxy treated wet			ĺ	1
	S	urrace and allow it to dry for one day.				İ
	v	) Plastering the surface with cement sand mortar 1:3 upto depth f 30mm complete.				
1	v	i) Cure the plastered surface for 15 days				
		All work including scaffolding etc. complete in all respect.				
			1			1



ESTATE OFFICER Se Naran Narendra Agriculture University JOBNER, JAIPUR

7. C. 4. (1)	T -	Tall the second				
7.5.4 (ii)	7	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement: 3 coarse sand) jointing with white cement mortar 1:2 (1white cement: 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. South Zed Black Above 3601 Cm2 Slabs		Sqm	3850.00	38500.00
7.21.2	8	Providing and fixing 1st quality MAT & GLOSSY finished ceramic tile confirming to IS: 13755 and IS: 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4). Size		Sqm	809.00	40450.00
7.22.2	9	P & F 1st qualityHeavy Duty Vitrified Polished Digital tiles on floor, skirting and steps etc.in different sizes (thickness minimum 10mm) with water absortion less than or equal 0.08% and conforming to IS 15622 of approved make in all colour and shade, laid with 20 mm thick CM 1: 4 including grounting the joints with white cement and matching pigment etc complete. Size 300mm x 450mm		Sqm	870.00	21750.00
8.13.1.1	10	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A': 30 mm thick. Commercial Veneer both side	8.00	Sqm	1686.00	13488.00
15.24.4	12	Providing and fixing in CM 1:4 Single paitam (rebated) stone door window and ventilator frames of approved quarry: Size 100 × 75 mm	12.00	Mtr	271.00	3252.00
9.19.3		Providing and fixing steel glazed doors windows and ventilator shutters of standard rolled steel section (IS 1038 1983) joints mitred and welded with steel lugs 13x3mm, 10cm. long embedded in cement concrete block 15x10x10cm. of 1:3:6 (1cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws with fixing clips or with bolts and nuts as required including providing and fixing of plain glass panes 4mm thick with cooper glazing clips and special metal sash putty of approved make or metal beading with screws complete including priming coat of approval steel primer, excluding the cost of metal beading and other fitting except necessary hinges of pivots steel handles peg stay etc. as required: Windows side hung /Ventilators top or centre	10.00	Sqm	3135.00	31350.00

X

ESTATE OFFICER

S- Naran Narendra Agriculture University

JOBNER, JAIPUR

S-1.13	14	Providing and fixing stainless steel railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners P & F White Vitreous China Double Syphonic European	6.00	Kg	503.00	72684.00
		W.C. (I.S:2556Mark) with mounted W.V.C. flushing cistern of (IS: 2556 Mark) of 10 litre capacity complete with all necessary internal fittings including cutting and making good the wall and floor.				
S-1,20.2	16	P & F Low level Flushing Cistern of 10 litres capacity (IS: 2556mark). Of approved make with complete fittings C.I. brackets duly painted, brass ball cock with ball, (IS: 1703 mark) complete including cutting and making good the wall: PVC with PVC bend as per IS: 7231.	3.00	Each	1291.00	3873.00
S-2.38.1	17	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.,)				
	A	: 15 mm dia nominal bore 'B' Class	25.00	Mtr	279.00	6975.00
S-2.38.3	В	25mm dia nominal bore 'B' Class	25.00	Mtr	376.00	9400.00
S-2.26.3 S-3.16.3	18	P & F PVC Storage Tank ISI Marked (IS: 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design:  500 litres canacity  P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg.	2,00	Each	3920.00	7840.00
3-3.10.3		/Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant.				
S-3.16.4	A	(A)110mm dia	20.00	Mtr	282.00	5640.00
	В	(B)160 mm dia	50.00	Mtr	463.00	23150.00
S-1.44.2		P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers. Other sizes	30.00	Sqm	1538.00	46140.00
S-2.6.4	21	P & F Pilllar Cocks (IS:8934 Mark) of superior quality and approved make:				
	Α	C.P. Pillar cock, Swan Neck With casted Spout 15 mm dia nominal bore	8.00	Each	1246.00	9968.00

B

()

ESTATE OFFICER
Serious Narendra Agriculture University
JOBNER, JAIPUR

		250 mm sweep with Min. Air delivery 1150 cmh, 1300 RPM	5.00	Each	2741.00	13705.00
1		fans, single phase with PVC impeller, ABS body, Double Ball bearing, automatic back lower shutter including making connection, testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR.				
S-1.36.9 E-15.5.3	25	P & F WVC Wash basin (Ist quality IS:2556 Mark) of approved make with C.I. brackets duly painted 1 No. 15 mm C.P. Pillar cock (IS:8934 Mark) & 32 mm C.P. brass waste coupling of approved make, P.V.C Waste pipe with PVC nut 32 mm complete including cutting & making good the wall: Size 630 mm x 500 mm dia for counter top Providing & Fixing of of BLDC Technology ventilating	6.00	Each	3265.00	19590.00
S-1.14.2	23	P & F lst quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Flat Back (large) or half stall size 610x400x80mm.	5.00	Each	4637.00	23185.0
	A	C.P. Inlet connection 15mm.Brass (IS: 8931 marked)	10.00	Each	501.00	5010.00
S-2.12.1	22	P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash basin, Gyser etc.				

	Gross Total Cost : Rs
specifications at	s in accordance with the approved drawings and technica percentage above/below the estimated rates, i.e., for a tota
(Rs	amount

Signature of Contractor

ESTATE OFFICER

5- Naran Narendra Agriculture University
10BNER, JAIPUR

# Annexure - 2

# Format of certificate

Certified that the works upto level in respect of construction of have been	
executed in accordance with the approved drawing and technical specifications.	
Signature	
Name & Designation	
(Official address)	
Place:	
Date:	
Date:	

Office seal